

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (previously amended) A computer system having a central processing unit (CPU), and a display screen coupled to the CPU, said computer system comprising:

an input unit for generating a predetermined event:

a resolution changing unit for changing the resolution of said display apparatus in response to the predetermined event; and,

a window resizing unit for, in response to said predetermined event, resizing a predetermined window displayed on said display apparatus so as to be displayed over a portion of the display screen after the resolution is changed by said resolution changing unit.

2. (previously amended) The computer system according to Claim 1, wherein said window resizing unit resizes a window being active.

3. (original) The computer system according to Claim 1, further comprising a display status restoring unit for holding a display status before the resolution is changed by said resolution changing unit and, when the resolution of said display apparatus is restored to the resolution before being changed, restoring the resolution of said display apparatus to said held display status.

4. (currently amended) A computer system comprising:  
an input unit for accepting a predetermined input; ~~and,~~  
a display zoom factor changing unit for changing a display zoom factor by  
changing the resolution of a display apparatus in response to the predetermined input; and  
a window resizing unit for, in response to said predetermined input, resizing a  
predetermined window displayed on said display apparatus after the resolution is changed  
by said resolution changing unit.

5. (original) The computer system according to Claim 4, wherein said input unit is an electrical switch.

6. (original) The computer system according to Claim 4, wherein said input unit is a key switch provided in addition to key switches of the keyboard used for common inputs.

7. (original) The computer system according to Claim 4, wherein said input unit is a button displayed on the display screen of said display apparatus through a graphical user interface.

8. (original) The computer system according to Claim 4, wherein said input unit is a voice input apparatus.

9. (currently amended) A display control apparatus comprising:

an input unit for accepting a predetermined input; ~~and,~~

a display-zoom-in unit for zooming in on a display by lowering the resolution of said display apparatus in response to a request for zooming-in accepted by said input unit; and

a window resizing unit for resizing a predetermined window displayed on a display screen of said display apparatus so as to match the display screen zoomed in by said display-zoom-in unit.

10. (original) The display control apparatus according to Claim 9, wherein said input unit presents display zoom factors provided according to the resolution of said display apparatus controlled by said display-zoom-in unit to a user and accepts a request for zooming in by a selected display zoom factor.

11. (original) The display control apparatus according to Claim 9, further comprising a display status restoring unit for holding a display status before the zooming-in by said display-zoom-in unit and, when the display-zooming-in is completed, restores said held display status.

12. (cancelled)

13. (previously amended) A display control apparatus comprising:

an input unit for accepting a predetermined input; and,

a display control unit for changing a display zoom factor by changing the

resolution of a display apparatus in response to a display zoom factor change request accepted by said input unit, and causing a predetermined window displayed on the display screen of said display apparatus to be displayed over the entire display screen after the resolution is changed based upon the change request.

14. (original) The display control apparatus according to Claim 13, wherein said input unit is a hardware switch.

15. (original) The display control apparatus according to Claim 13, further comprising a display status restoring unit for holding a display status before a zoom-in by said display control unit, and, when the display-zoom-in is completed, restores said held display status.

16. (currently amended) A display apparatus comprising:

an input section for inputting display image data and a predetermined command and a display screen for displaying a display image based on input data, wherein:

said input section is used for inputting a request for changing a display zoom factor on said display screen as a command input; ~~and~~,

said display screen displays said display image by using the display zoom factor responsive to said request for changing the display zoom factor; and

in response to said request for changing the display zoom factor, resizing said display image.

17. (currently amended) A display control method for controlling the display screen of a display apparatus, comprising ~~the steps of~~:

accepting a request for changing a display zoom factor on said display screen;

and,

changing the resolution of said display apparatus to change the display zoom factor of said display screen to a display zoom factor responsive to said request for changing display zoom factor; and

resizing a predetermined window, in response to said request for changing the display zoom factor, displayed on said display apparatus.

18. (currently amended) The display control method according to Claim 17, further comprising ~~the steps of~~:

before said step of changing the display zoom factor, storing a display status before the display zoom factor is changed; and,

restoring said stored display status when said display zoom factor is restored after the change of said display zoom factor.

19. (Cancelled)

20. (currently amended) A storage medium storing a program to be executed by a computer in a form readable by the input unit of said computer, wherein said program causes said computer to perform the processes of:

accepting a request for changing a display zoom factor on said display screen;

and,

changing the resolution of said display apparatus to change the display zoom factor of said display screen to a display zoom factor responsive to said request for changing display zoom factor; and

resizing a predetermined window, in response to said request for changing the display zoom factor, displayed on said display screen.

21. (currently amended) A program transmission apparatus comprising:

a storage unit for storing a program for causing a computer to perform the processes of accepting a request for changing a display zoom factor on said display screen and changing the resolution of said display apparatus to change the display zoom factor of said display screen to a display zoom factor responsive to said request for changing display zoom factor and for resizing a predetermined window, in response to said request for changing the display zoom factor, displayed on said display screen; and,

a transmission unit for reading said program from said storage unit to transmit said program.